

Overview

A **variable** is a storage container for data that is capable of holding different values that may change or update as programs execute. Your program can read the contents of a variable, update the contents of a variable, and display the value of a variable on the screen. Computer programs can use variables in order to remember useful information that the programs can then use later in the code.

Key Terms

- variables
- declaration
- type
- integer

```

1 int count;
2 count = 2;
3 count = 8;
4 int x = count;

```

Declaring and Setting Variables

The first step to using a variable in C is to let your program know that you want the variable to exist. This step is called the variable's **declaration** (also known as initialization). In C, this is done by first specifying the variable's **type**, which tells the program what kind of information will be stored inside of the variable, and then by specifying the variable's name (followed by a semicolon to end the programming statement).

For instance, in line 1 to the left, we've declared a new variable of type **int** to be named **count**. An **int** is a data type which stores an **integer**, which could be positive whole numbers, negative whole numbers, or zero (but not fractions or decimals). Currently, no value has been assigned to **count**: we've just told the program to create a space within which values can be stored later.

Once a variable has been declared, it can be manipulated in various ways. Line 2 takes the variable **count** and assigns its value to be **2**. Now, the number **2** is stored inside of the variable **count**. Optionally, we could have combined lines 1 and 2 into a single programming statement to declare a variable and set its value at the same time, via a line of code such as: **int count = 2;**

After a variable has been given a value, its value can be updated. Line 3 updates the value of **count** again, this time to be **8**. Now, **count** forgets the number **2** and remembers the number **8** instead.

The value of a variable can be accessed just by using its name. For instance, line 4 declares a new variable (also of type **int**) this time named **x**, and initially sets its value to be **count**. This tells your program to go to the **count** variable, see what value is inside, and set the value of **x** to be that value. Since the current value of **count** is **8**, the value of **x** is set to also be **8**.

Variables from User Input

In many cases, a program may need to take input from the user and store the input as a variable. CS50 has written several functions (declared in a file called **cs50.h**) that serve this very purpose.

For instance, **get_int("prompt_string")** prompts the user to input an integer. In the program to the right, line 6 uses **get_int()** to take in an integer as input from the user with the prompt **"Integer please:"**, and saves that integer in a variable called **i**.

```

1 #include <cs50.h>
2 #include <stdio.h>
3
4 int main(void)
5 {
6     int i = get_int("Integer please: ");
7     printf("i is %i \n", i);
8 }

```

Line 7 then displays the value of the variable on the screen. The **%i** in the string is a special syntax which acts as a placeholder for an integer. We tell **printf** what integer to use in that placeholder by passing it an additional argument, where an argument is just a value inside of the parentheses of a function. Inside of the parentheses next to **printf** we've included two arguments: the string **"i is %i"**, and the integer **i**, which will take the place of **%i**. If the user were to enter the number **28** as input on line 6, then line 7 would replace **%i** with the value of **i** (which is **28**) and display the string **"i is 28"** on the screen followed by a new line denoted by the **\n**.